



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/763,939

01/23/2004

Philip Ted Kortum

1033-T00525

5072

60533

7590

04/29/2008

TOLER LAW GROUP  
8500 BLUFFSTONE COVE  
SUITE A201  
AUSTIN, TX 78759

EXAMINER

HOMAYOUNMEHR, FARID

ART UNIT

PAPER NUMBER

2139

MAIL DATE

DELIVERY MODE

04/29/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/763,939	<b>Applicant(s)</b> KORTUM ET AL.	
	<b>Examiner</b> Farid Homayounmehr	<b>Art Unit</b> 2139	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 23 January 2004.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-26 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>1/26/06</u>   | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

1. Claims **1-26** have been examined.

### **Information Disclosure Statement PTO-1449**

2. The Information Disclosure Statement submitted by applicant on 9/30/2003 and 1/26/2006 has been considered. Please see attached PTO-1449 form.

### ***Specification***

3. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: Claims 25 and 26 are directed to a computer-readable medium, but the term “computer-readable medium” is not defined in the Specification. It is not clear what encompasses a “computer-readable medium”, and what does not.

Also, the term “unique” is used in all claims, but there is no clear and explicit definition of the word in the Specification. As a result, it is not clear what is considered unique, and what is not unique. It should be noted that an item may be considered unique in one context, and may not be unique in another. For example, in a Wide Area Network (WAN), consisting of a plurality of Local Area Networks (LAN), the address of a device in one LAN may be unique among the address space in that LAN, but may not be

unique in the WAN, because another device in another LAN may have the same address.

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1 and 2 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ueshima (US Patent No. 6,731,731, filed March 29, 2001) and further in view of Schneider (U.S. Patent No. 7,050,423, filed November 27, 2001).

5.1. As per claim 1, Ueshima is directed to a method of network authentication comprising (Ueshima teaches an authentication system, wherein a password is generated based on the telephone number of the device used by user, and user personal information. This generated password is sent to the user to be used for authentication); receiving a common user credential from a user seeking access to an information network (Col. 10 lines 7-30 shows that personal information of each proper user is registered in a table of the authentication system. Col. 12 line 49 to col. 13 line 10 provides examples of user information); generating a unique credential for the user that comprises network specific information associated with a connection of the user

(Ueshima col. 3 lines 25-58 shows that a password is generated based on user telephone number that is used by the user to connect to the authentication system (item (4)). Also see col 5 lines 1-35, or col. 8 lines 14-27.); and considering the unique credential in connection with making an authentication decision for the user (the generated password is supplied to the user. The user supplies the password when calling from the same phone number, and will be authenticated based on the password and the phone number, as shown in col. 3 lines 25-58, item (6). Also see Example 3 for an operation procedure.

Ueshima teaches generating a password, supplying the password to a user, receiving the password from the user when the user wants to authenticate for a service access, and authenticating the user by verifying the submitted password. The password is generated in association with the user phone number (connection), however, Ueshima does not explicitly teach including the phone number as part of a credential.

Schneider teaches a system for supporting multiple network services, wherein requests for services are associated with the issuance of a certificate (credential) for the requesting user (see Abstract). The certificate comprises information relating to the permitted setup, and service policy or logic representing service capabilities or service permissions, associated with the network service, and a unique setup identifier (see, for example, claim 1).

Ueshima and Schneider are analogous art as they are both directed to user authentication procedures as part of a network service system. At the time of invention, it would have been obvious to the one skilled in art to enhance Ueshima's system to use a certificate (credential), including a password, and additional fields of information, as taught by Schneider's certificate. As Ueshima bases the generation of the password on verifying the phone number used by the user, it would have been obvious to include the phone number as part of the certificate. The motivation to do so would have been to provide a more comprehensive set of authentication parameters and information relating to the permitted connection setup, by using a certificate including all said information, rather than a password alone. Note also that Ueshima's system performs authentication in two steps (see col. 9 lines 35-50), where both the phone number and the generated password are used for authentication. Therefore, an improvement to include several pieces of information in one credential containing several fields, as one suggested by Schneider, is well placed.

5.2. As per claim 2, Ueshima in view of Schneider is directed to the method of claim 1, further comprising: receiving the common user credential from a different user seeking access to the information network; generating a different unique credential for the different user that comprises different network specific information; and considering the different unique credential in connection with making an authentication decision for the different user (As shown in Ueshima col. 10 lines 6-15, the database stores

personal information for each proper user. Also, as shown in col. 3 lines 20-23, individual users are authenticated separately).

6. Claims 3-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ueshima (US Patent No. 6,731,731, filed March 29, 2001) and further in view of Schneider (U.S. Patent No. 7,050,423, filed November 27, 2001), and further in view of Examiner Official Notice.

6.1. As per claim 3, Ueshima in view of Schneider is directed to the method of claim 1. Examiner take the Official Notice that xDSL was known as a transmission technique using telephone lines. Therefore, it would have been obvious to replace the specifics of a conventional phone line (phone number), with the specifics of xDSL links. The motivation to do so would be to expand the range of service availability, and authentication as taught by the combination of Ueshima and Schneider, and allow user access to the same services if the user uses xDSL connection instead of a conventional phone line. Therefore, Ueshima in view of Schneider and further in view of the Official Notice is directed to claim 1, wherein the connection of the user comprises an xDSL link.

6.2. As per claim 4, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the method of claim 1, wherein the connection of the user comprises a link at least partially supported by a cable modem (See rejection of claim 3,

and note that cable transmission systems were also known in the art at the time of invention).

6.3. As per claim 5, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the method of claim 1, further comprising utilizing a network node to generate the unique credential (Ueshima col. 3 lines 38-41, indicating that the CTI server or another device generates the password).

6.4. As per claim 6, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the method of claim 1, wherein the network specific information comprises a unique circuit identification number associated with an ADSL connection (see rejection of claim 3, and note that ADSL was known at the time of invention, and is a type of xDSL).

6.5. As per claim 7, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the method of claim 1, wherein the network specific information comprises a virtual circuit identification associated with ADSL routing (see response to claims 3 and 6. Note that the virtual circuit identification is equivalent to a phone number).

6.6. As per claim 8, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the method of claim 1, further comprising tracking a metric



Art Unit: 2139

associated with the user (As shown in Schneider claim 1, information relating to the permitted setup, and service policy or logic representing service capabilities or service permissions are part of the certificate. Therefore Schneider keeps track of that information, which relates to user access control).

6.7. As per claim 9, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the method of claim 8, wherein the metric is selected from the group consisting of an access control metric, a payment metric, and a security metric (see rejection of claim 8, where it is shown that an access control metric is tracked).

6.8. As per claim 10, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the method of claim 1, further comprising utilizing a network node to generate the unique credential, wherein the network node comprises an authentication server and an interface operable to receive the common user credential (Ueshima col. 3 lines 38-41, indicating that the CTI server or another device generates the password. The CTI server authenticates the user, and therefore, it is an authentication server. Also, the authentication server receives user credentials for purpose of authentication, therefore, it must have an interface to receive the information).

6.9. As per claim 11, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the method of claim 1, further comprising: determining that the user does not have access rights to the information network; and initiating communication of a deny response (Ueshima col. 13 lines 40 to 45).

6.10. As per claim 12, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the method of claim 1, wherein the network specific information comprises network generated information that is unique to a connection in use by the user (the password is generated in accordance with the phone number of the user. The phone number of the user that is used for connection is unique).

6.11. As per claim 13, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the method of claim 1, wherein the network specific information comprises information that is unique to a physical location of the user (Ueshima teaches registering the address of the user (col. 13 line 9-11). Therefore it would have been obvious to include user address in the certificate. The motivation would be to improve the security by using additional verification parameters).

6.12. As per claim 14, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to an authentication system, comprising: an interface operable to receive an authentication request (Fig. 1 and associated text, as it is the platform for performing operations described in rejection of claims 1-13), item 30 has several

Art Unit: 2139

interfaces to receive an authentication request) from a PPPoE client of a given user (as discussed in rejection of claims 3, 4, and 7, it would have been obvious to the one skilled in art to replace networks specifics of a conventional phone system, with specifics of other types of networks, such as cable, Internet, Ethernet or Point to Point Protocol over Ethernet (PPPoE)); a customizing engine communicatively coupled to the interface and operable to add a unique identifier for the given user to the authentication request (Fig. 1 item 30. Note that it adds the password received from Password Generation unit 41, as described by combination of Ueshima in view of Schneider, and further in view of Examiner Official Notice outlined in claims 1-13); and an output device communicatively coupled to the customizing engine and operable to output the unique identifier to an access engine for authentication of the given user (item 30 has output devices for outputting the password to the Authentication System Unit).

6.13. As per claim 15, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the system of claim 14, further comprising a network node that comprises the interface, the customizing engine, and the output device (item 30 is a network node, as it is connected to Network 150).

6.14. As per claim 16, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the system of claim 14, further comprising the access engine, wherein the access engine is communicatively coupled to a repository

Art Unit: 2139

comprising acceptable credentials, further wherein the access engine is operable to compare the unique identifier against the acceptable credentials as a part of granting access rights to the given user (Ueshima Fig. 1 item 60 and associated text, where it receives the data from a database).

6.15. As per claim 17, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the system of claim 14, wherein the authentication request from the PPPoE client comprises an included identifier, further wherein the customizing engine is further operable to remove included identifier prior to an outputting of the authentication request to the access engine (As shown above, Ueshima teaches registering additional user information such as address, date of birth, etc. (see col. 13 lines 1-15) on the need of the service. Therefore, it would be obvious to submit such identifiers, as part of authentication request. Ueshima also teaches that in the second step of authentication, a password is submitted. Therefore, it would have been obvious to remove the identifiers used in the initial step of authentication, from the request in the second step of authentication. The motivation would be to prevent disclosure of plurality of user sensitive information, if the certificate is discovered by a malicious user. The certificate contains the parameters required for second step of authentication, and excludes the ones not necessary.

6.16. As per claim 18, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the system of claim 14, wherein the authentication request

from the PPPoE client comprises an included identifier that does not uniquely identify the given user (see response to claim 17, and note that, for example, the address does not identify the user uniquely).

6.17. As per claim 19, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the system of claim 14, further comprising a piece of customer premises equipment comprising a broadband modem, the broadband modem operable to output the authentication request to the interface (as mentioned above, use of different types of network systems, which were well-known and broadly used at the time of invention, in combination of other networks would have been obvious to the one skilled in art. Examiner takes the Official Notice that broadband modems were well-known and widely used at the time of invention).

6.18. As per claim 20, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the system of claim 19, further comprising a service provider network node that comprises the interface, the customizing engine, and the output device (item 30 of Fig. 1 of Ueshima includes all the required items, as discussed in claim 14).

6.19. As per claim 21, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the system of claim 20, further comprising: a communication path operable to form at least a part of an interconnection between the

Art Unit: 2139

broadband modem and the Public Internet (connection of a broadband modem to internet was well-known in the art, and therefore it would have been obvious to use the combination of Ueshima in view of Schneider, and further in view of Examiner Official Notice in conjunction with a network consisting a broadband modem connected to internet. Note that said connection makes a communication path); and the access engine, wherein the access engine is communicatively coupled to a repository comprising acceptable credentials, further wherein the access engine is operable to compare the unique identifier against the acceptable credentials as a part of granting the given user an access right to the communication path (These requirements were discussed in rejection of claims 1-20 above).

6.20. As per claim 22, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the system of claim 21, wherein the unique identifier comprises a unique circuit identification number associated with an ADSL connection (see rejection of claim 6).

6.21. As per claim 23, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the system of claim 21, wherein the unique identifier comprises network generated information that is unique to a connection in use by the given user (the telephone number is unique).

Art Unit: 2139

6.22. As per claim 24, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the system of claim 23, wherein the unique identifier does not uniquely identify the piece of customer premises equipment or the broadband modem (the password is generated based on the phone number of the circuit id, and does not uniquely identify the piece of customer premises equipment).

6.23. The requirements of claim 25 are substantially the same as claims 1-14 above. Note that sending a response to the user to notify them that the authentication had been successful, and the user is permitted to use the services was well-known and widely practiced at the time of invention. Therefore, sending the permit response upon acceptance of credentials would have been obvious to the one skilled in the art.

6.24. As per claim 26, Ueshima in view of Schneider, and further in view of Examiner Official Notice is directed to the computer-readable medium of claim 25, wherein the credential comprises a commonly assigned credential that does not uniquely identify a requestor (the password is generated based on the phone number of the circuit id, and does not uniquely identify the requestor).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Farid Homayounmehr whose telephone number is 571

Art Unit: 2139

272 3739. The examiner can normally be reached on 9 hrs Mon-Fri, off Monday biweekly.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine Kincaid can be reached on (571) 272-4063. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Farid Homayounmehr/

Examiner

Art Unit: 2139

/Kristine Kincaid/

Supervisory Patent Examiner, Art Unit 2139



Application/Control Number: 10/763,939  
Art Unit: 2139

Page 16